



1/6

FIG.1



2/6

FIG.2



This diagram illustrates an exploded view of a mechanical assembly. The components are labeled as follows:

- 2: A vertical rectangular plate.
- 2a: A horizontal bracket or arm extending from the right side of component 2.
- 2b: A curved bracket or arm extending from the left side of component 2.
- 3: A horizontal beam or frame.
- 4: A vertical support column.
- 4a: A horizontal bracket or arm extending from the right side of component 4.
- 4b: A curved bracket or arm extending from the left side of component 4.
- 10: A horizontal beam or frame.
- 11: A vertical support column.
- 12: A horizontal beam or frame.
- 13: A vertical support column.
- 15: A circular component, possibly a pulley or bearing.
- 17: A horizontal beam or frame.
- 18: A curved bracket or arm extending from the left side of component 13.
- 19: A horizontal beam or frame.
- 20: A vertical support column.
- 22: A vertical rectangular plate.
- 23: A horizontal beam or frame.
- 2a: A horizontal bracket or arm extending from the right side of component 2.
- 2b: A curved bracket or arm extending from the left side of component 2.

FIG.3

3/6

FIG.4









FIG.5


4/6

FIG.6**FIG.7**

5/6

FIG.8**FIG.9**

6/6

FIG.10**FIG.11**